For Research Use Only

RFC5 Polyclonal antibody

Catalog Number: 10385-1-AP 3 Publications



Basic Information

Catalog Number: 10385-1-AP Concentration: 350 ug/ml

Source: Rabbit Isotype:

Immunogen Catalog Number:

AG0584

GenBank Accession Number:

replication factor C (activator 1) 5,

BC001866

5985

P40937 Full Name:

36.5kDa

Calculated MW: 38 kDa Observed MW:

GeneID (NCBI):

UNIPROT ID:

36 kDa

Purification Method: Antigen affinity purification Recommended Dilutions:

IP 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate

Applications

Tested Applications:

IP, ELISA **Cited Applications:**

Species Specificity: human, mouse Cited Species: human

Positive Controls:

IP: HeLa cells,

Background Information

The elongation of primed DNA templates by DNA polymerase delta and DNA polymerase epsilon requires the accessory proteins proliferating cell nuclear antigen (PCNA) and replication factor C(RFC). RFC, also named activator 1, is a protein complex consisting of five distinct subunits of 140, 40, 38, 37, and 36 kD. Replication factor C5 (RFC5, synonyms: RFC36, MGC1155) is the 36 kD subunit. This subunit can interact with the C-terminal region of PCNA and form a core complex with the 38 and 40 kDa subunits. The core complex possesses DNA-dependent ATPase activity, which was found to be stimulated by PCNA in an in vitro system.

Notable Publications

Author	Pubmed ID	Journal	Application
Marie Morimoto	39106866	Am J Hum Genet	WB
Yi-Chang Wang	36961817	Cell Rep	WB
Yi-Chang Wang	36778247	bioRxiv	WB


Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



IP result of anti-RFC5 (IP:10385-1-AP, 4ug; Detection:10385-1-AP 1:4000) with HeLa cells lysate 1320 ug.