For Research Use Only

VPS34 (C terminal) Polyclonal antibody

Catalog Number: 12452-1-AP

Featured Product

64 Publications



Basic Information

Catalog Number:

12452-1-AP

BC033004

Concentration:

550 ug/ml

5289

Source:

UNIPROT ID:

Rabbit

Q8NEB9

Isotype:

GenBank Accession Number:

BC033004

GeneID (NCBI):

5289

UNIPROT ID:

Q8NEB9

Full Name:

phosphoinositide-3-kinase, class 3

Immunogen Catalog Number: Calculated MW: 887 aa, 100 kDa
Observed MW:

100 kDa

Applications

Tested Applications:
WB, IHC, IF/ICC, ELISA
Cited Applications:
WB, IF, IP, CoIP
Species Specificity:
human, mouse, rat
Cited Species:

human, mouse, rat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 **Positive Controls:**

WB: PC-3 cells, mouse brain tissue, HeLa cells, human testis tissue, human brain tissue, mouse lung tissue, mouse testis tissue, Jurkat cells, rat brain tissue

Purification Method:

WB: 1:500-1:1000 IHC: 1:100-1:400

IF/ICC: 1:300-1:1200

Antigen affinity purification

Recommended Dilutions:

IHC: human prostate cancer tissue, human heart tissue

IF/ICC: PC-3 cells,

Background Information

PIK3C3(Phosphatidylinositol 3-kinase catalytic subunit type 3) is also named as VPS34 and belongs to the PI3/PI4-kinase family. It is a catalytic subunit of the PI3K complex that mediates formation of phosphatidylinositol 3-phosphate which plays a key role in initiation and maturation of autophagosomes. It can form a dimer(PMID:20339072).

Notable Publications

Author	Pubmed ID	Journal	Application
Haojie Zhang	36114802	Phytother Res	WB
Jiafeng Li	31572190	Front Pharmacol	WB
Qian Zuo	34509534	Cancer Lett	WB

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


Selected Validation Data




PC-3 cells were subjected to SDS PAGE followed by western blot with 12452-1-AP (VPS34 antibody) at dilution of 1:400 incubated at room temperature for




WB result of VPS34 (C terminal) antibody (12452-1-AP; 1:1000; incubated at room temperature for 1.5 hours) with sh-Control and sh-VPS34 (C terminal) transfected Jurkat cells.



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 12452-1-AP (VPS34 antibody at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human prostate cancer tissue slide using 12452-1-AP (VPS34 antibody at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunofluorescent analysis of (-20°C Ethanol) fixed PC-3 cells using VP534 (C terminal) antibody (12452-1-AP) at dilution of 1:600 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2).