For Research Use Only

GABRG2 Polyclonal antibody

Catalog Number:14104-1-AP 15 Publications



Purification Method:

WB: 1:500-1:2000

protein lysate

IF-P: 1:50-1:500

Antigen affinity purification

IP: 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

Basic Information

Catalog Number: GenBank Accession Number: 14104-1-AP BC059389 Concentration: GeneID (NCBI): 500 μg/ml 2566 **UNIPROT ID:** Source: Rabbit P18507

> gamma-aminobutyric acid (GABA) A receptor, gamma 2

AG5237 Calculated MW: 467 aa. 54 kDa Observed MW: 54-60 kDa

Applications

Tested Applications: WB, IF-P, IP, ELISA Cited Applications: WB, IHC, IF, IP Species Specificity: human, mouse, rat

Immunogen Catalog Number:

Isotype:

Cited Species: human, mouse, rat

Full Name:

Positive Controls:

WB: Neuro-2a cells, mouse brain tissue

IP: mouse brain tissue,

IF-P: mouse cerebellum tissue,

Background Information

GABRG2 (gamma-aminobutyric acid type A receptor subunit gamma2), which is expected to be located in cell membrane and expressed in brain and retina. The calculated molecular weight of the protein is 54 kDa. This antibody can recognize the 43 kDa band of target (PMID:12091434). And it also has glycosylation modification. GABA is the major inhibitory neurotransmitter in the mammlian brain, where it acts at GABA-A receptors, which are ligand-gated chloride channels. GABA-A receptors are pentameric, consisting of proteins from several subunit classes: alpha, beta, gamma, delta and rho. Mutations in this gene have been associated with epilepsy and febrile seizures.

Notable Publications

Author	Pubmed ID	Journal	Application
Yi Yang	30333479	Cell Death Dis	WB
Juan Yang	32436359	CNS Neurosci Ther	WB,IP
Bo Deng	35338092	Neurol Neuroimmunol Neuroinflamm	

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 14104-1-AP (GABRG2 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



IP result of anti-GABRG2 (IP:14104-1-AP, 4ug; Detection:14104-1-AP 1:500) with mouse brain tissue lysate 4000ug.



Immunofluorescent analysis of (4% PFA) fixed mouse cerebellum tissue using GABRG2 antibody (14104-1-AP) at dilution of 1:200 and CoraLite® 488-Conjugated Goat Anti-Rabbit IgG(H+L).