### For Research Use Only

# DNMT3A Polyclonal antibody

Catalog Number: 20954-1-AP

Featured Product

54 Publications



**Basic Information** 

Catalog Number:

20954-1-AP

BC043617

Concentration:

600 ug/ml

1788

Source:

UNIPROT ID:

Rabbit

Q9Y6K1

Isotype:

GenBank Accession Number:

GeneID (NCBI):

1788

UNIPROT ID:

Q9Y6K1

Full Name:

DNA (cytosine-5-)-methyltransferase

Immunogen Catalog Number: 3 alpha

AG15111 Calculated MW: 912 aa, 102 kDa

Observed MW: 120-130 kDa

**Applications** 

Tested Applications: WB, IHC, IF/ICC, IP, ELISA Cited Applications: WB, IHC, IF, ChIP, RIP

Species Specificity: human, mouse, rat Cited Species: human, mouse, rat, goat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Positive Controls:

WB: Jurkat cells, HEK-293 cells, HepG2 cells, HeLa cells, NIH/3T3 cels, mouse testis tissue, rat testis

**Purification Method:** 

WB: 1:5000-1:50000

protein lysate

IHC: 1:500-1:2000

Antigen affinity purification

IP: 0.5-4.0 ug for 1.0-3.0 mg of total

Recommended Dilutions:

IP: HeLa cells,

IHC: mouse testis tissue, mouse colon tissue, rat colon

tissue, rat testis tissue

IF/ICC: K-562 cells, HeLa cells

# **Background Information**

DNA methylation in vertebrate animals is an epigenetic modification that is important for embryonic development, imprinting, and the inactivation of X chromosomes. DNA methylation is catalyzed by a family of DNA methylatransferases (DNMTs) that include the maintenance enzyme DNMT1 and de novo methylatransferases DNMT3a and DNMT3b. The overexpression of DNMT1, DNMT3a, and DNMT3b has been reported in various malignancies, including gastric, urothelial, and lung cancers, and may be related to tumorigenesis, tumor progression, and poor survival. Two isoforms of DNMT3a exist: the full-length DNMT3a, and the shorter form DNMT3a2 which lacks the N-terminal fragment. DNMT3a is expressed ubiquitously at low levels, while DNMT3a2 is specially expressed at high levels in embryonic stem cells and shows restricted expression in tissues known to undergo de novo methylation including testis and ovary. This antibody was raised against the N-terminal region of human DNMT3a. It is expected to detect the 120-130 kDa DNMT3a but not 72-100 kDa DNMT3a2.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Ye Fu	36098921	Environ Sci Pollut Res Int	WB
Kalaiselvi Sivalingam	32899583	Brain Sci	WB
Yue Ming	36327957	Psychiatry Investig	ChIP,RIP

Storage

Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 20954-1-AP (DNMT3A antibody) at dilution of 1:10000 incubated at room temperature for 1.5 hours.




Immunofluorescent analysis of (4% PFA) fixed K-562 cells using DNMT3A antibody (20954-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).




WB result of DNMT3A antibody (20954-1-AP; 1:12000; incubated at room temperature for 1.5 hours) with sh-Control and sh-DNMT3A transfected HepG2 cells.



Immunohistochemical analysis of paraffinembedded mouse testis tissue slide using 20954-1-AP (DNMT3A antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-DNMT3A (IP:20954-1-AP, 4ug; Detection:20954-1-AP 1:5000) with HeLa cells lysate 1560 ug.



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using DNMT3A antibody (20954-1-AP) at dilution of 1:400 and CoraLite® 488-Conjugated AffiniPure Goat Anti-Rabbit IgG(H+L) (SA00013-2), CL594-phalloidin (red).