For Research Use Only

SESN1 Polyclonal antibody

Catalog Number: 21668-1-AP

Featured Product

24 Publications

BC112036

27244

Q9Y6P5 Full Name:

sestrin 1 Calculated MW:

551 aa, 64 kDa

GeneID (NCBI):

UNIPROT ID:

GenBank Accession Number:



Basic Information

Catalog Number: 21668-1-AP Concentration: 700 µg/ml

Source: Rabbit Isotype: Immunogen Catalog Number:

AG16462

Observed MW: 66-68 kDa

Purification Method: Antigen affinity purification Recommended Dilutions: WB: 1:500-1:1000

Applications

Tested Applications:

WB, ELISA

Cited Applications:

WB, IHC

Species Specificity: human, mouse, rat **Cited Species:** human, mouse, rat

Positive Controls:

WB: human skeletal muscle tissue, HEK-293 cells, mouse liver tissue, human testis tissue, HeLa cells, K-562 cells

Background Information

Sestrins, including sestrin-1 (PA26), sestrin-2 (Hi95), and sestrin-3, are 48 to 65 kDa cystein sulfinyl reductases and they modulate peroxide signaling and antioxidant defense. These proteins selectively reduce or repair hyperoxidized forms of typical 2-Cys peroxiredoxins within eukaryotes. Expression of these proteins is regulated by p53, a tumor suppressor protein. Sestrin 1 is implicated in the inhibition of cell growth. It is approximately a 66kDa protein in humans (551 amino acids).

Notable Publications

Author	Pubmed ID	Journal	Application
T Shen	27693501	Osteoarthritis Cartilage	WB,IHC
Rongya Tao	25377878	Diabetes	
Tianyi Wang	34038646	Appl Physiol Nutr Metab	WB

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



human skeletal muscle tissue were subjected to SDS PAGE followed by western blot with 21668-1-AP (SESN1 antibody) at dilution of 1:500 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 21668-1-AP (SESN1 antibody) at dilution of 1:2000 incubated at room temperature for 1.5 hours.