

For Research Use Only

# IFIH1/MDA5 Polyclonal antibody

Catalog Number: 21775-1-AP

Featured Product

63 Publications



## Basic Information

### Catalog Number:

21775-1-AP

### Concentration:

850 ug/ml

### Source:

Rabbit

### Isotype:

IgG

### Immunogen Catalog Number:

AG16467

### GenBank Accession Number:

BC111750

### GeneID (NCBI):

64135

### UNIPROT ID:

Q9BYX4

### Full Name:

interferon induced with helicase C domain 1

### Calculated MW:

1025 aa, 117 kDa

### Observed MW:

117-125 kDa

### Purification Method:

Antigen affinity purification

### Recommended Dilutions:

WB: 1:2000-1:16000

IP: 0.5-4.0 ug for 1.0-3.0 mg of total protein lysate

IHC: 1:50-1:500

## Applications

### Tested Applications:

WB, IHC, IP, ELISA

### Cited Applications:

WB, IHC, IF, IP, CoIP, RIP

### Species Specificity:

human

### Cited Species:

human, pig, monkey

### Positive Controls:

WB: Jurkat cells, Raji cells

IP: Jurkat cells,

IHC: human skeletal muscle tissue,

**Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0**

## Background Information

IFIH1 (Interferon-induced helicase C domain-containing protein 1) is a putative RNA helicase that is upregulated in response to treatment with IFNB or IFNB and MEZ. It is also named as MDA5 and RH116. Ectopic expression of MDA5 in melanoma cells resulted in reduced colony formation, suggesting an interaction of the CARD and apoptotic signal molecules. Functional analysis indicated that MDA5 is an RNA-dependent ATPase. IFIH1 has an apparent molecular mass of 117-130 kDa, and always other bands (70 kDa and 90 kDa) can be detected as cleaved products (PMID: 17267501).

## Notable Publications

Author	Pubmed ID	Journal	Application
Jiangang Zheng	34587973	BMC Vet Res	WB
Matthew Charman	34621686	Front Cell Infect Microbiol	WB
Wei Zhang	25228491	J Gen Virol	WB

## Storage

### Storage:

Store at -20°C. Stable for one year after shipment.

### Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926

E: [Proteintech-CN@ptglab.com](mailto:Proteintech-CN@ptglab.com)


W: [ptgcn.com](http://ptgcn.com)

**This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.**


Selected Validation Data




WB result of IFIH1 antibody (21775-1-AP; 1:2000; incubated at room temperature for 1.5 hours) with sh-Control and sh-IFIH1 transfected Jurkat cells.




Immunohistochemical analysis of paraffin-embedded human skeletal muscle tissue slide using 21775-1-AP (IFIH1 antibody) at dilution of 1:200 (under 10x lens).




Immunohistochemical analysis of paraffin-embedded human skeletal muscle tissue slide using 21775-1-AP (IFIH1 antibody) at dilution of 1:200 (under 40x lens).




IP result of anti-IFIH1/MDA5 (IP:21775-1-AP, 4ug; Detection:21775-1-AP 1:300) with Jurkat cells lysate 4000 ug.




Jurkat cells were subjected to SDS PAGE followed by western blot with 21775-1-AP (IFIH1 antibody) at dilution of 1:1500 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 21775-1-AP (IFIH1/MDA5 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



Various lysates were subjected to SDS PAGE followed by western blot with 21775-1-AP (IFIH1/MDA5 antibody) at dilution of 1:8000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (4% PFA) fixed mouse skeletal muscle tissue using IFIH1/MDA5 antibody (21775-1-AP) at dilution of 1:200 and CoraLite® 647-conjugated F(ab).