### For Research Use Only

# UCP1 Polyclonal antibody

Catalog Number: 23673-1-AP

Featured Product

129 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: 23673-1-AP BC098168 GeneID (NCBI): Concentration: 1000 ug/ml 7350 **UNIPROT ID:** Source: Rabbit P25874 Full Name: Isotype:

uncoupling protein 1 (mitochondrial,

Immunogen Catalog Number: AG20388 Calculated MW: 307 aa. 33 kDa

Observed MW: 33 kDa

proton carrier)

**Applications** 

**Tested Applications:** WB, IHC, ELISA **Cited Applications:** WB, IHC, IF Species Specificity: human, mouse, rat

Cited Species:

human, mouse, rat, bovine, hamster, goat

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: mouse brown adipose tissue, mouse skeletal muscle tissue

**Purification Method:** 

WB: 1:1000-1:6000 IHC: 1:50-1:500

Antigen affinity purification

Recommended Dilutions:

IHC: mouse brown adipose tissue, rat brain tissue

## **Background Information**

UCP-1 (Mitochondrial uncoupling protein 1), is a mitochondrial transporter protein that creates proton leaks across  $the inner \, mit ochondrial \, membrane, thus \, uncoupling \, oxidative \, phosphorylation \, from \, ATP \, synthesis. \, It \, has \, been \, considered a constant of the contraction of the c$ identified a key molecule for metabolic thermogenesis to avoid an excess of fat accumulation. UCP-1 expression is usually restricted to brown adipose when induced by cold exposure and thyroid hormone.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Xiaoqian Zeng	36169214	Food Funct	WB,IHC
Lijun Zhao	30258363	Front Pharmacol	IHC
Ping He	31484405	Biomolecules	WB

Storage

Storage:


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 23673-1-AP (UCP1 antibody) at dilution of 1:1000 incubated at room temperature for 1.5 hours.



mouse brown adipose tissue were subjected to SDS PAGE followed by western blot with 23673-1-AP (UCP1 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded mouse brown adipose tissue slide using 23673-1-AP (UCP1 antibody) at dilution of 1:200 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded mouse brown adipose tissue slide using 23673-1-AP (UCP1 antibody) at dilution of 1:200 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).