For Research Use Only

Anti-Human CD4 (OKT4)

Catalog Number: 65134-1-lg



Purification Method:

Affinity purification

Recommended Dilutions:

FC: 0.2 ug per 10^6 cells in 100 $\,\mu$ l

CloneNo.:

suspension

OKT4

Basic Information

Catalog Number: 65134-1-lg

Concentration: 500ug, 0.5 mg/ml

Source: Mouse Isotype:

IgG2b, kappa

Tested Applications:

Species Specificity:

Human

FC

GenBank Accession Number:

BC025782 GeneID (NCBI): 920

ENSG00000010610

UNIPROT ID: P01730 Full Name: CD4 molecule

Calculated MW: 55 kDa

Positive Controls:

FC: human PBMCs,

Background Information

CD4 is a 55-kDa transmembrane glycoprotein expressed on T helper cells, majority of thymocytes, monocytes, macrophages, and dendritic cells (PMID: 9304802; 12213222). CD4 is an accessory protein for MHC class-II antigen/T-cell receptor interaction. It plays an important role in T helper cell development and activation (PMID: 9539765; 3112582). CD4 serves as a receptor for the human immunodeficiency virus (HIV) (PMID: 9304802).

Storage

Applications


Storage:

Store at 2-8°C. Stable for one year after shipment.


Storage Buffer:

PBS with 0.09% sodium azide, pH7.3

Selected Validation Data



1X10^6 human PBMCs were surface co-stained with CL647 Anti-Human CD3 and 0.2 ug Anti-Human CD4 (65134-1-Ig, Clone:OKT4) and Coralite®594-Conjugated Goat Anti-Mouse IgG(H+L) at dilution 1:1000 or unstained. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 0.2 ug Anti-Human CD4 (65134-1-1g, Clone:OKT4) and CoraLite®594-Conjugated Goat Anti-Mouse IgG(H+L) at dilution 1:1000 or unstained. Cells were not fixed. Lymphocytes were gated.