### For Research Use Only

# HSP60 Monoclonal antibody

Catalog Number:66041-1-lg Featured Product

62 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: 66041-1-lg BC003030 GeneID (NCBI): Concentration: 1000 µg/ml 3329 Source: **UNIPROT ID:** Mouse P10809

Isotype: Full Name: heat shock 60kDa protein 1 lgG1

(chaperonin) Immunogen Catalog Number: AG7848 Calculated MW:

61 kDa

Observed MW:

60 kDa

**Purification Method:** Protein G purification

CloneNo.: 2F10E7

**Recommended Dilutions:** 

WB: 1:5000-1:50000

IP: 0.5-4.0 ug for 1.0-3.0 mg of total

protein lysate IHC: 1:50-1:2000 IF/ICC: 1:50-1:500

**Applications** 

**Tested Applications:** 

WB, IHC, IF/ICC, IP, ELISA

**Cited Applications:** WB, IF, IP, ELISA Species Specificity: human, mouse, rat

Cited Species:

human, mouse, rat, pig, chicken, yeast

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0

Positive Controls:

WB: HeLa cells, HEK-293 cells, Jurkat cells, HSC-T6 cells, NIH/3T3 cells, pig brain, rabbit brain, chicken brain

IP: mouse liver tissue,

IHC: human ovary tumor tissue, human spleen tissue, human tonsillitis tissue, human skin cancer tissue, human testis tissue

IF/ICC: HeLa cells, HepG2 cells, Neuro-2a cells

# **Background Information**

HSPD1, also known as HSP60, belongs to the chaperonin family and acts as a chaperone to enhance cell survival under physiological stresses. Hsp60 has been shown to be connected with many aspects of cell functions such as protein folding and assembling of polypeptide chains in mitochondria. Recently it has been reported that HSP60 is associated with apoptosis or inhibition of cancer cell growth. (21822415)

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Boyden Myers	36142714	Int J Mol Sci	IF
Jianli Tang	36106732	mBio	WB,IF,IP
Na Li	34557266	Oxid Med Cell Longev	IP

Storage

Storage:

Store at -20°C. Stable for one year after shipment.

Storage Buffer:

PBS with 0.02% sodium azide and 50% glycerol, pH7.3


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact:


T: 4006900926 E: Proteintech-CN@ptglab.com

This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


## **Selected Validation Data**




Various lysates were subjected to SDS PAGE followed by western blot with 66041-1-1g (HSP60 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours. The membrane was stripped and reblotted with HRP-conjugated GAPDH Monoclonal antibody (HRP-60004) as loading control.




Immunofluorescent analysis of (4% PFA) fixed Hela cells using HSP60 antibody (66041-1-1g, Clone: 2F10E7) at dilution of 1:100 and CoraLite®488-Conjugated Goat Anti-Mouse IgG(H+L), (CL594-Phalloidin, red).




Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 66041-1-lg (HSP60 antibody at dilution of 1:500 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human ovary tumor tissue slide using 66041-1-lg (HSP60 antibody at dilution of 1:500 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



IP result of anti-HSP60 (IP:66041-1-Ig, 5ug; Detection:66041-1-Ig 1:2000) with mouse liver tissue lysate 4000ug.



Immunofluorescent analysis of (4% PFA) fixed HepG2 cells using HSP60 antibody (66041-1-lg, Clone: 2F10E7) at dilution of 1:400 and CoraLite®488-Conjugated Goat Anti-Mouse IgG(H+L) (SA00013-1), CL594-phalloidin (red).