#### For Research Use Only

# GLI1 Monoclonal antibody

Catalog Number:66905-1-lg Featured Product

88 Publications



**Basic Information** 

Catalog Number: GenBank Accession Number: 66905-1-lg BC013000 GeneID (NCBI): Concentration: 1000 ug/ml **UNIPROT ID:** Source: Mouse P08151

Isotype: Full Name: lgG1 GLI family zinc finger 1

Calculated MW: Immunogen Catalog Number: AG27832 1106 aa, 118 kDa

Observed MW: 150 kDa

**Purification Method:** 

Protein G purification CloneNo.:

1D2B2

Recommended Dilutions: WB: 1:5000-1:50000 IF/ICC: 1:400-1:1600

**Applications** 

**Tested Applications:** WB, IF/ICC, ELISA Cited Applications: WB, IHC, IF, IP, CoIP Species Specificity: human, mouse, rat, pig **Cited Species:** human, mouse, rat

#### Positive Controls:

WB: A549 cells, C6 cells, HEK-293 cells, human testis tissue, 4T1 cells, mouse brain tissue, NCI-H1299 cells, PC-3 cells, MCF-7 cells, MDA-MB-231 cells, pig brain tissue, rat brain tissue, BxPC-3 cells, U-251 cells, mouse liver tissue, rat liver tissue

IF/ICC: HeLa cells.

## **Background Information**

GLI 1, also known as Glioma-associated oncogene, is a 1106 amino acid protein, which belongs to the GLI C2H2-type zinc-finger protein family. GLI 1 is detected in testis and Also expressed in the brain with highest expression in the cerebellum, optic nerve and olfactory tract, GLI1 is tethered in the cytoplasm by binding to SUFU (PubMed:10806483). GLI1 is activated and translocated to the nucleus promoted by interaction with STK36 (PubMed:10806483). Phosphorylation of GLI1 by ULK3 may promote nuclear localization (PubMed:19878745). GLI1 as a transcriptional activator may regulate the transcription of specific genes during normal development (PubMed:19706761). GLI1 plays a role in craniofacial development and digital development, as well as development of the central nervous system and gastrointestinal tract and Mediates SHH signaling (PubMed:19706761). GLI1 plays a role in cell proliferation and differentiation via its role in SHH signaling.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Qian Wang	32999044	Mol Cancer Ther	WB
Daosen Chen	34659557	J Cancer	WB,IHC
Yijia Jia	34522723	Regen Ther	IHC

# Storage


Store at -20°C. Stable for one year after shipment.

Storage Buffer:


PBS with 0.02% sodium azide and 50% glycerol, pH7.3

Aliquoting is unnecessary for -20°C storage

### Selected Validation Data



Various lysates were subjected to SDS PAGE followed by western blot with 66905-1-lg (GLI1 antibody) at dilution of 1:20000 incubated at room temperature for 1.5 hours.



Immunofluorescent analysis of (-20°C Ethanol) fixed Hela cells using GLI 1 antibody (66905-1-lg, Clone: 1D2B2) at dilution of 1:800 and CoraLite®488-Conjugated AffiniPure Goat Anti-Mouse IgG(H+L).