For Research Use Only

# CD61 / Integrin beta 3 Monoclonal antibody



Catalog Number: 66952-1-Ig

**Featured Product** 

6 Publications

BC127666

3690

P05106

GeneID (NCBI):

**UNIPROT ID:** 

Full Name:

Calculated MW: 788 aa, 87 kDa Observed MW: 100-110 kDa

**Basic Information** 

**Applications** 

Catalog Number: 66952-1-lg Size: 1800 µg/ml

1800 µg/ml
Source:
Mouse
Isotype:
IgG2b

Immunogen Catalog Number: AG27834

WB, IHC, ELISA

Cited Applications:
WB, IP, IHC

**Tested Applications:** 

Species Specificity: Human Cited Species: human, mouse

Note-IHC: suggested antigen retrieval with TE buffer pH 9.0; (\*) Alternatively, antigen retrieval may be performed with citrate buffer pH 6.0 Purification Method: Protein A purification

CloneNo.: 3D8E5

Recommended Dilutions: WB 1:1000-1:6000 IHC 1:1000-1:4000

integrin, beta 3 (platelet glycoprotein IIIa, antigen CD61)

GenBank Accession Number:

Positive Controls:

WB: HUVEC cells, human placenta tissue

IHC: human placenta tissue,

## **Background Information**

Integrin beta-3, also named as CD61 and GPIIIa, is a receptor for cytotactin, fibronectin, laminin, matrix metalloproteinase-2, osteopontin, osteomodulin, prothrombin, thrombospondin, vitronectin and von Willebrand factor. Integrin beta-3 recognize the sequence R-G-D in a wide array of ligands and the sequence H-H-L-G-G-G-A-K-Q-A-G-D-V in fibrinogen gamma chain. Following activation integrin beta-3 brings about platelet/platelet interaction through binding of soluble fibrinogen which leads to rapid platelet aggregation which physically plugs ruptured endothelial surface. In case of HIV-1 infection, the interaction with extracellular viral Tat protein seems to enhance angiogenesis in Kaposi's sarcoma lesions. Human integrin beta-3 has a calculated molecular weight of 87 kDa. As a result of glycosylation, the apparent molecular mass of integrin beta-3 is approximately 90-110 kDa.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Hiroyuki Yamato	34702952	Sci Rep	WB,IHC
Junxin Mai	35597930	BMC Biotechnol	WB,IP
Xian Tang	33750407	Reprod Biol Endocrinol	WB

#### Storage

Storage

Store at -20°C. Stable for one year after shipment.

PBS with 0.02% sodium azide and 50% glycerol pH 7.3.


Aliquoting is unnecessary for -20°C storage

For technical support and original validation data for this product please contact: T: 4006900926 E: Proteintech-CN@ptglab.com W: ptgcn.com This product is exclusively available under Proteintech Group brand and is not available to purchase from any other manufacturer.


### **Selected Validation Data**



HUVEC cells were subjected to SDS PAGE followed by western blot with 66952-1-1g (CD61 / Integrin Beta 3 antibody) at dilution of 1:3000 incubated at room temperature for 1.5 hours.



Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 66952-1-Ig (CD61 / Integrin Beta 3 antibody) at dilution of 1:2000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).



Immunohistochemical analysis of paraffinembedded human placenta tissue slide using 66952-1-Ig (CD61 / Integrin Beta 3 antibody) at dilution of 1:2000 (under 40x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0).