## For Research Use Only

## APC Anti-Mouse CD16/CD32 (93)

Catalog Number: APC-65057



**Basic Information** 

Catalog Number: GenBank Accession Number: **Purification Method:** APC-65057 BC038070 Affinity purification

GeneID (NCBI): CloneNo.: Concentration: 100ug, 0.1 mg/ml 14130

**UNIPROT ID: Recommended Dilutions:** Source: P08101 FC: 0.2 ug per 10^6 cells in 100  $\,\mu$  l suspension

Full Name: Isotype:

Excitation/Emission maxima IgG2a, lambda Fc receptor, IgG, low affinity IIb

wavelengths: 650 nm / 660 nm

**Applications** 

**Tested Applications:** 

Species Specificity:

mouse

**Positive Controls:** 

FC: mouse splenocytes,

## **Background Information**

CD16 (Fc  $\gamma$  RIII) is a 50-70 kDa low affinity Fc receptor found on the surface of natural killer cells, neutrophil  $polymorphonuclear\ leukocytes, monocytes\ and\ macrophages.\ CD16\ mediates\ antibody-dependent\ cellular$ cytotoxicity (ADCC) and other antibody-dependent responses, such as phagocytosis. CD32 (Fc γ RII) is a 40 kD transmembrane glycoprotein that binds to the Fc region of IgG with low affinity. CD32 is present on phagocytic cells such as macrophages and neutrophils, and is involved in the process of phagocytosis and clearing of immune complexes.


Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

## Selected Validation Data



1X10^6 C57BL/6 mouse splenocytes were surface co-stained with FITC Plus Anti-Mouse CD3 (17A2) and 0.2 ug APC Anti-Mouse CD16/32 (APC-65057, Clone: 93) or 0.2 ug APC Rat IgG2a Isotype Control (2A3). Cells were not fixed.