## For Research Use Only

# CoraLite® Plus 488-conjugated ASGR1 Polyclonal antibody



Antigen affinity purification

Excitation/Emission maxima

FC: 0.40 ug per 10<sup>6</sup> cells in a 100 µl

Recommended Dilutions:

IF-P: 1:50-1:500

suspension

wavelengths:

493 nm / 522 nm

Catalog Number: CL488-11739

Featured Product

1 Publications

**Basic Information** 

**Applications** 

Catalog Number: CL488-11739 Concentration: 1000 ug/ml

Source: Rabbit Isotype:

Immunogen Catalog Number: Ca

AG2310

GenBank Accession Number: Purification Method:

BC032130 GeneID (NCBI):

UNIPROT ID:

P07306 Full Name:

asialoglycoprotein receptor 1

Calculated MW: 291 aa, 33 kDa

Tested Applications:

IF-P, FC

Cited Applications:

IF

Species Specificity: human, mouse, rat Cited Species: mouse **Positive Controls** 

IF-P: rat liver tissue, human liver cancer tissue

FC: HepG2 cells,

## **Background Information**

Asialoglycoprotein receptor (ASGPR), also known as the hepatic galactose/N-acetylglucosamine (GlcNAc) receptor or Ashwell receptor, is a C-type lectin expressed exclusively in hepatic parenchymal cells. ASGPR consists of two subunits, a major subunit (ASGR1, HL-1) and a minor subunit (ASGR2, HL-2), and specifically recognizes terminal  $\beta$ -linked galactose or GlcNAc on circulating glycoproteins or cells. This receptor plays a critical role in serum glycoprotein homeostasis by mediating the endocytosis and lysosomal degradation of glycoproteins that contain terminal galactose or GlcNAc residues. ASGPR may facilitate hepatic infection by multiple viruses including hepatitis B, and is also a target for liver-specific drug delivery. This antibody is conjugated with CL488, Ex/Em 488 nm/515 nm.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Tian Tian	37829506	MedComm (2020)	IF


### Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 50% glycerol, 0.05% Proclin300, 0.5% BSA, pH7.3


# Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed human liver cancer tissue using Coralite® Plus 488 ASGR1 antibody (CL488-11739) at dilution of 1:200.



Immunofluorescent analysis of (4% PFA) fixed rat liver tissue using CoraLite® Plus 488 ASGR1 antibody (CL488-11739) at dilution of 1:200.



1X10^6 HepG2 cells were surface stained with 0.4 ug CoraLite® Plus 488 Anti-Human ASGR1 (CL488-11739) (red), or 0.4 ug CoraLite® Plus 488-conjugated Rabbit IgG control Rabbit PolyAb (CL488-30000) (blue). Cells were not fixed.