For Research Use Only

CoraLite® Plus 555 Anti-Human CD28 (CD28.2)

proteintech
Antibodies | ELISA kits | Proteins
www.ptglab.com

Purification Method:

Affinity purification

Recommended Dilutions:

FC: 5 ul per 10^6 cells in 100 μ l

Excitation/Emission maxima

CloneNo.:

suspension

wavelengths:

554 nm / 570 nm

CD28.2

Catalog Number: CL555-65099

Basic Information

Catalog Number: CL555-65099

Concentration: 100tests, 5 µ l/test

Source: Mouse Isotype:

IgG1, kappa

е: карра

220 aa, 25 kDa

UNIPROT ID: P10747 Full Name:

BC093698

GeneID (NCBI):

ENSEMBL Gene ID:

ENSG00000178562

CD28 molecule
Calculated MW:

GenBank Accession Number:

Positive Controls:

FC: human PBMCs,

Applications

Tested Applications:

1 C

Species Specificity:

Human

Background Information

CD28 (T-cell-specific surface glycoprotein CD28), also known as T44 and Tp44, is a 44 kD disulfide-linked homodimeric type I glycoprotein (PMID: 2162180). It is a member of the immunoglobulin superfamily and is expressed on most T lineage cells, NK cell subsets, and plasma cells (PMID: 2162180, 8386518). CD28 may affect in vivo immune responses by functioning both as a cell adhesion molecule linking B and T lymphocytes and as the surface component of a novel signal transduction pathway (PMID: 2162180, 3021470). CD28 binds both CD80 and CD86 with a highly conserved motif MYPPY in the CDR3-like loop (PMID: 15696168, 7964482). CD28 is considered a major co-stimulatory molecule, inducing T lymphocyte activation and IL-2 synthesis, and preventing cell death (PMID: 1348520).


Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer:

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1X10^6 human PBMCs were surface co-stained with Atlantic Blue Anti-Human CD3 and 5 ul CoraLite® Plus 555 Anti-Human CD28 (CL555-65099, Clone:CD28.2) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul CoraLite® Plus 555 Anti-Human CD28 (CL555-65099, Clone:CD28.2) (red) or Mouse IgG1 Isotype Control. Cells were not fixed. Lymphocytes were gated.