For Research Use Only

CoraLite®594-conjugated PAX8 Polyclonal antibody

Catalog Number:CL594-10336

Featured Product

1 Publications

GenBank Accession Number:



Basic Information

Catalog Number: CL594-10336 Concentration: 1000 μg/ml

Rabbit Isotype:

Source:

Immunogen Catalog Number:

AG0306

48 kDa

BC001060

GeneID (NCBI):

UNIPROT ID:

Full Name:

paired box 8

Calculated MW:

Q06710

Observed MW:

Purification Method:

Antigen affinity purification

Recommended Dilutions:

IF/ICC: 1:50-1:500 FC (Intra): 0.20 ug per 10⁶ cells in a

100 µl suspension

FC: 0.20 ug per 10^6 cells in a 100 µl

suspension

Excitation/Emission maxima

wavelengths: 588 nm / 604 nm

Applications

Tested Applications: IF/ICC, FC (Intra) Cited Applications:

Species Specificity: human, mouse, rat

Positive Controls:

IF/ICC: SKOV-3 cells. FC (Intra): SKOV-3 cells,

FC: SKOV-3 cells,

Background Information

PAX8 is a member of the paired box (PAX) family of transcription factors, typically containing a paired box domain $and\ a\ paired-type\ homeodomain.\ It\ is\ expressed\ during\ organogenesis\ of\ the\ thyroid\ gland,\ kidney\ and\ Mullerian$ system. It is thought to regulate the expression of Wilms tumor suppressor (WT1) gene and mutations in PAX8 have been associated with Wilms tumor cells, thyroid and ovarian carcinomas. PAX8 is a useful marker in distinguishing ovarian carcinomas from mammary carcinomas (PMID: 18724243). PAX8 is expressed in a high percentage of ovarian serous, endometrioid, and clear cell carcinomas, but only rarely in primary ovarian mucinous adenocarcinomas.

This antibody can detect all 5 isoforms of PAX8 (31 kDa, 34 kDa, 41 kDa, 43 kDa and 48 kDa). A 58-60 kDa form has also been reported (PMID:15650356, 1049952). Proteintech's 10336-1-AP antibody has cross-reactivities with the other PAX family members.

Notable Publications

Author	Pubmed ID	Journal	Application
Jared Sipes	40158048	Commun Biol	IF

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:


PBS with 50% glycerol, 0.05% Proclin300, 0.5% BSA, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (4% PFA) fixed SKOV-3 cells using CoraLite®594 PAX8 antibody (CL594-10336) at dilution of 1:200.



1X10^6 SKOV-3 cells were intracellularly stained with 0.2 ug Coralite®594 Anti-Human PAX8 (CL594-10336) (red), or 0.2 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).