For Research Use Only

CoraLite®594-conjugated Vimentin Monoclonal antibody



Catalog Number:CL594-60330

2 Publications

Basic Information

Catalog Number: CL594-60330

Size: 1000 μg/ml

Source: Mouse Isotype: IgG1

Immunogen Catalog Number:

AG0489

og Number: Full Name:
vimentin
Calculated MW:
466 aa, 54 kDa

Purification Method:

Protein G purification

CloneNo.: 3H9D1

Recommended Dilutions: IF/ICC 1:50-1:500

Excitation/Emission maxima

wavelengths: 588 nm / 604 nm

Applications

Tested Applications:

IF/ICC

Cited Applications:

IF

Species Specificity: human, mouse, rat Cited Species: human, rat Positive Controls:

IF/ICC: HepG2 cells,

Background Information

Vimentin, also named as VIM, belongs to the intermediate filament family. Vimentin is class-III intermediate filaments found in various non-epithelial cells, especially mesenchymal cells. Vimentin is important for stabilizing the architecture of the cytoplasm. Monocyte-derived macrophages secrete vimentin into the extracellular space in vitro. Secretion of vimentin was enhanced by the proinflammatory cytokine tumor necrosis factor-alpha (TNFA; 191160) and inhibited by the antiinflammatory cytokine IL10 (124092), suggesting that vimentin is involved in the immune response. Vimentin has specialized functions that contribute to specific dynamic cellular processes. As a phosphoprotein, 55-60 KDa of vimentin proteins can be observed due to the different phosphorylation level. The antibody is conjugated with CL594, Ex/Em 593 nm/614 nm.

GenBank Accession Number:

BC000163

7431

GeneID (NCBI):

ENSEMBL Gene ID:

ENSG00000026025

UNIPROT ID:

P08670

Notable Publications

Author	Pubmed ID	Journal	Application
Maidinaimu Abudula	35557941	Front Cell Dev Biol	IF
Yang Luo	38024845	Mater Today Bio	IF

Storage

Storage:

Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer

PBS with 50% Glycerol, 0.05% Proclin300, 0.5% BSA, pH 7.3.

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



Immunofluorescent analysis of (-20°C Ethanol) fixed HepG2 cells using CL594-60330 (Vimentin antibody) at dilution of 1:100.