For Research Use Only

CoraLite® Plus 647-conjugated CDK9 Polyclonal antibody

Proteintech®
Antibodies | ELISA kits | Proteins
www.ptglab.com

Catalog Number: CL647-11705

Basic Information

Catalog Number: GenBank Accession Number: CL647-11705 BC001968

 $\begin{tabular}{llll} Concentration: & GenelD (NCBI): \\ 1000 μ g/ml & 1025 \\ Source: & UNIPROT ID: \\ \end{tabular}$

Rabbit P50750 Isotype: Full Name:

IgG cyclin-dependent kinase 9

Immunogen Catalog Number:Calculated MW:AG2318372 aa, 43 kDaObserved MW:

43 kDa, 55 kDa

Purification Method: Antigen affinity purification Recommended Dilutions:

FC (Intra): 0.20 ug per 10^6 cells in a

100 µl suspension

Excitation/Emission maxima wavelengths:

654 nm / 674 nm

IF/ICC: 1:50-1:500

Applications

Tested Applications:
IF/ICC, FC (Intra)
Species Specificity:
human

Background Information

CDK9(Cyclin-dependent kinase 9) is a member of the Cdc2-like family of kinases. Its cyclin partners are members of the family of cyclin T (T1, T2a and T2b) and cyclin K. The CDK9/cyclin T complexes appear to be involved in regulating several physiological processes. CDK9 has also been described as the kinase of the TAK complex, which is homologous to the P-TEFb complex and involved in HIV replication. In addition, CDK9 seems to have an antiapoptotic function in monocytes, that may be related to its control over differentiation of monocytes (PMID: 12432243). CDK9 has two isoforms with the molecular mass of 42 kDa and 55 kDa, and the relative abundance of Cdk9(42kDa) and Cdk9(55kDa) changes in different cell types (PMID: 12706900, 15780980).

Positive Controls:

IF/ICC: HeLa cells,

FC (Intra): HeLa cells,

Storage

Storage:


Store at -20°C. Avoid exposure to light. Stable for one year after shipment.

Storage Buffer:


PBS with 50% glycerol, 0.05% Proclin300, 0.5% BSA, pH7.3

Aliquoting is unnecessary for -20°C storage

Selected Validation Data



1X10^6 HeLa cells were intracellularly stained with 0.2 ug CoraLite® Plus 647 Anti-Human CDK9 (CL647-11705) (red), or 0.2 ug Control Antibody. Cells were fixed and permeabilized with Transcription Factor Staining Buffer Kit (PF00011).



Immunofluorescent analysis of (4% PFA) fixed HeLa cells using CoraLite® Plus 647 CDK9 antibody (CL647-11705) at dilution of 1:200.