For Research Use Only

CoraLite® Plus 750 Anti-Mouse CD16/CD32 (93)

Catalog Number: CL750-65057



Basic Information

Catalog Number: GenBank Accession Number: **Purification Method:** CL750-65057 BC038070 Affinity purification Concentration: GeneID (NCBI): CloneNo.:

100ug, 0.5 mg/ml 14130

UNIPROT ID: Recommended Dilutions: P08101 FC: 0.5 ug per 10^6 cells in 100 $\,\mu$ l suspension Full Name: Isotype:

IgG2a, lambda Fc receptor, IgG, low affinity IIb Excitation/Emission maxima

wavelengths: 755 nm / 780 nm

Applications

Tested Applications:

Species Specificity:

mouse

Source:

Positive Controls:

FC: mouse splenocytes,

Background Information

CD16 (Fc γ RIII) is a 50-70 kDa low affinity Fc receptor found on the surface of natural killer cells, neutrophil $polymorphonuclear\ leukocytes, monocytes\ and\ macrophages.\ CD16\ mediates\ antibody-dependent\ cellular$ cytotoxicity (ADCC) and other antibody-dependent responses, such as phagocytosis. CD32 (Fc γ RII) is a 40 kD transmembrane glycoprotein that binds to the Fc region of IgG with low affinity. CD32 is present on phagocytic cells such as macrophages and neutrophils, and is involved in the process of phagocytosis and clearing of immune complexes.


Storage

Storage:

Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide, pH7.3

Selected Validation Data



1X10^6 mouse splenocytes were surface co-stained with CoraLite® Plus 488 Anti-Mouse CD3 (17A2) and 0.5 ug CoraLite® Plus 750 Anti-Mouse CD16/32 (CL750-65057, Clone:93) or 0.5 ug CoraLite® Plus 750 Rat IgC2a Isotype Control (2A3) (CL750-65209, Clone: 2A3). Cells were not fixed.