### For Research Use Only

# PE Anti-Human CD44 (F10-44-2)

Catalog Number:PE-65063 1 Publications



**Basic Information** 

Catalog Number: PE-65063 Concentration: 100tests, 5 µl/test

Source: Mouse Isotype:

IgG2a, kappa

Calculated MW: 742 aa, 82 kDa

BC004372

960

GeneID (NCBI):

ENSEMBL Gene ID:

ENSG00000026508

**UNIPROT ID:** 

Full Name:

P16070

GenBank Accession Number:

CD44 molecule (Indian blood group)

**Purification Method:** 

Affinity purification CloneNo.: F10-44-2

Recommended Dilutions: FC: 5 ul per 10^6 cells in 100  $\mu$  l suspension

Excitation/Emission maxima wavelengths:

496 nm, 565 nm / 578 nm

**Applications** 

**Tested Applications:** 

FC

**Cited Applications:** 

FC

Species Specificity:

Human **Cited Species:** human

Positive Controls:

FC: human PBMCs,

# **Background Information**

CD44 is a type I transmembrane glycoprotein expressed on embryonic stem cells and in various levels on other cell types including connective tissues and bone marrow. CD44 expression is also upregulated in subpopulations of cancer cells and is recognized as a molecular marker for cancer stem cells (PMID: 29747682). It is a cell-surface receptor that mediates cell-cell and cell-matrix interactions through its affinity for hyaluronic acid (HA) and possibly also through its affinity for other ligands (PMID: 10694938). Adhesion with HA plays an important role in cell migration, tumor growth and progression. CD44 is also involved in lymphocyte activation, recirculation and homing, and in hematopoiesis.

#### **Notable Publications**

Author	Pubmed ID	Journal	Application
Zheng-Quan Chen	34396427	Oncol Rep	FC


Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

## Selected Validation Data



1X10^6 human PBMCs were surface stained with 5 ul PE Anti-Human CD44 (PE-65063, Clone:F10-44-2) or Mouse IgG2a Isotype Control. Cells were not fixed. Lymphocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul PE Anti-Human CD44 (PE-65063, Clone:F10-44-2) or Mouse IgG2a Isotype Control. Cells were not fixed. Lymphocytes were gated.