For Research Use Only

PE Anti-Human PD-L1/CD274 (29E.2A3) proteintech

Catalog Number: PE-65081



Basic Information

Catalog Number: GenBank Accession Number: PE-65081 BC069381

GeneID (NCBI): CloneNo.: Concentration: 100tests, 5 μl/test 29126 29E.2A3

UNIPROT ID: Recommended Dilutions: Source: Mouse Q9NZQ7 FC: 5 ul per 10^6 cells in 100 μ l suspension Full Name: Isotype:

IgG2b, kappa CD274 molecule Excitation/Emission maxima

wavelengths: 496 nm, 565 nm / 578 nm

Purification Method:

Affinity purification

Applications

Tested Applications:

Species Specificity:

human

Positive Controls:

FC: PHA treated human PBMCs.

Background Information

Programmed cell death ligand 1 (PD-L1, CD274, or B7-H1), is the first member of B7 family to be discovered. B7 family molecules are type I transmembrane proteins belonging to the immunoglobulin superfamily. In concert with their CD28 family receptors, the B7s are key regulators of the adaptive immune response. PD-L1 is suggested as a negative regulator of T and B cell, and plays important role in mediating tolerance of lymphocytes to self-antigens. It is also involved in the costimulatory signal, essential for T-cell proliferation and production of IL10 and IFNG, in an IL2-dependent and a PD-1-independent manner.


Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment.

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1x10^6 PHA treated (3 days) human PBMCs were surface stained with CL750 Anti-Human CD3 and 5 ul PE Anti-Human PD-L1 (B7-H1) (PE-65081, Clone:29E.2A3) (red) or PE Mouse IgG2b Isotype Control (blue). 1x10^6 untreated human PBMCs were surface stained with 5 ul PE Anti-Human PD-L1 (B7-H1) (PE-65081, Clone:29E.2A3) (black dashed). Cells were not fixed. Cells were treated with FC Receptor Block prior to staining. Lymphocytes were gated.



1x10^6 PHA treated (3 days) human PBMCs were surface stained with 5 ul PE Anti-Human PD-L1 (B7-H1) (PE-65081, Clone:29E.2A3) (right) or PE Mouse IgG2b Isotype Control (left). 1x10^6 untreated human PBMCs were surface stained with 5 ul PE Anti-Human PD-L1 (B7-H1) (PE-65081, Clone:29E.2A3) (center). Cells were not fixed. Cells were treated with FC Receptor Block prior to staining. Lymphocytes were gated.