For Research Use Only

CoraLite® Plus 405 Anti-Human CD11c (3.9)

proteintech®
Antibodies | ELISA kits | Proteins
www.ptglab.com

Catalog Number: CL405-65086

Basic Information

Catalog Number: CL405-65086

Concentration: 100tests, 5 µ l/test

Source: Mouse Isotype: IgG1 GenBank Accession Number: BC038237

GenelD (NCBI): 3687

ENSEMBL Gene ID: ENSG00000140678 UNIPROT ID:

Full Name:

P20702

integrin, alpha X (complement component 3 receptor 4 subunit)

Calculated MW: 1169 aa, 129 kDa Purification Method:

Affinity purification

CloneNo.:

Recommended Dilutions:

FC: 5 ul per 10^6 cells in 100 $\,\mu$ l

suspension

Excitation/Emission maxima

wavelengths: 399 nm / 422 nm

W:

Applications

Tested Applications:

FC

Species Specificity:

Human

Positive Controls:

FC: human PBMCs,

Background Information

Integrins are cell adhesion receptors that are heterodimers composed of non-covalently associated α and β subunits (PMID: 9779984). CD11c, also known as integrin α X, is a type I transmembrane glycoprotein present on a variety of cells, including monocytes/macrophages, granulocytes, a subset of B cells, NK cells and dendritic cells (PMID: 2897326; 1680915; 1694698; 17389580). As a result of its high level of expression on most dendritic cells, CD11c is typically considered to be a marker of conventional dendritic cells (PMID: 27119555). CD11c forms an α / β heterodimer with CD18 (integrin β 2). CD11c/CD18 acts a receptor for fibrinogen and is important in monocyte adhesion and chemotaxis (PMID: 1671533).


Storage

Storage:


Store at 2-8°C. Avoid exposure to light. Stable for one year after shipment. Storage Buffer.

PBS with 0.09% sodium azide and 0.5% BSA, pH7.3

Selected Validation Data



1X10^6 human PBMCs were surface stained with 5 ul Coralite® Plus 405 Anti-Human CD11c (CL405-65086, Clone:3.9) or Mouse IgG1 Isotype Control. Cells were not fixed. Monocytes were gated.



1X10^6 human PBMCs were surface stained with 5 ul Coralite® Plus 405 Anti-Human CD11c (CL405-65086, Clone:3.9) or Mouse IgG1 Isotype Control. Cells were not fixed. Monocytes were gated.